



### **TABLE OF CONTENT**

About Vogel's	4
The Quality Signature	5
Our OLED wall mounts fit perfectly	
NEXT series	
NEXT TV wall mounts motorized	
NEXT TV wall mount with sound bar	
NEXT TV wall mounts	
NEXT Accessories TV wall mounts	
THIN series	
THIN TV wall mounts	
WALL series	
WALL TV wall mounts	
FLAT series	
FLAT TV wall mounts	
TV floor stands	
NEXT TV floor stands	
TV floor stands	
SAVA seriesSAVA - Connect	
SAVA - Convert	
SAVA - Control & Stream	
Accessories	
Cable and AV solutions	
Projector solutions	
SOUND solutions	
Wall mounts & stands for Sonos	
Wall mounts & stands for Denon HEOS	
Universal speaker wall mounts & stands	
Sound bar mounts	
Mobile devices	
Tablet solutions	. 46
Index	.48



### **About Vogel's**

What began as a personal quest for perfection has evolved into an internationally successful company that manufactures a highly distinctive range of mounts and support systems for audio and video equipment. Vogel's products combine versatile functionality and robust performance with sleek design. Since 1973, Vogel's solutions have been based on the talent and commitment of people who care passionately about the products they create and the customers who use them. Since developing the world's first loudspeaker mount in 1973, we have produced a steady stream of award-winning solutions that make people's lives more enjoyable.

Quality is one of our most important criteria. That's why our products meet the strictest industry norms for quality and safety. We only use premium materials of the highest quality. All products for the consumer market are tested to bear at least 3 times the indicated load.

Our products stand out because of our eye for detail when it comes to design. And all products are developed to provide an extra dimension of personal comfort for today and tomorrow.





There is a big difference between buying a mount or stand and choosing a Vogel's. Choosing a Vogel's is something else altogether. It means you don't simply want to mount a device to save space or keep it from falling on the ground. It signifies you're not just looking for a piece of metal you want to hide behind a nicely designed TV, interactive tablet or highend projector, but a smart solution that is just as much beautifully designed as it is functional. A product that carries a device, protects it and is easy to install. A stage for the entertainment or experience each device promises to deliver.

Thoughtfully crafted, a Vogel's solution guarantees these 5 elements that define The Quality Signature:

- Ease-of-use
- Design
- Innovation
- Reliability
- Ease-of-installation

# Our OLED wall mounts fit perfectly

To preserve the minimalist design of your OLED TV, Vogel's offers OLED wall mounts in all shapes and sizes, which fit seamlessly onto the back of your TV.

#### The thinnest of them all

The THIN 546 full-motion TV mount has been specially designed for OLED TVs and has a distance to the wall of only 45mm!

#### **Full-motion OLED wall mounts**

All our full-motion wall mounts move smoothly and have been specially designed to turn these thin TVs.

#### **Full-motion motorized OLED wall mount**

This TV mount automatically turns towards you and is operated via an app. With this OLED wall mount, you never need to touch your fragile OLED screen again.

#### **Special OLED wall mounts**

Vogel's has developed special OLED wall mounts in co-operation with LG, as the rear of most LG OLED TVs is different to those of other TVs. The Vogel's TV wall mounts NEXT 7346 and NEXT 7356 are a perfect fit for LG OLED TVs. Vogel's has also developed a flat and full-motion solution for the exclusive LG Signature models: NEXT 7505 and NEXT 7555.





# **NEXT** series

#### The very best in wall technology

If you choose a NEXT wall mount, you do not just choose a beautiful mount, but also the best wall mount!

NEXT series is the new future standard offering motorized TV wall mounts with intuitive usage and very supple hinges. Developed for any TV, from OLED to large size TVs up to 100inch. Or TV Mounts with an integrated sound bar.

The cables are invisibly hidden in the fixture, and the Screen Protection System ensures that your valuable TV does not bump into the wall.

#### **Key features:**

- Unsurpassed viewing and sound, anywhere in the room
- The first wall bracket with integrated sound bar
- Enjoy the Cable Inlay System (CIS®) and hide all your unsightly cables
- Screen Protection System (SPS®):
   Vogel's patent protects your TV screen from bumping into the wall when turning

MotionSoundMount - Full-Motion Motorised TV Wall Mount with Integrated Sound

#### **NEXT 7555**

Motorized full-Motion TV Wall Mount for LG Signature TV

> 8712285338908 (EU) 8712285339424 (GB) 8712285339448 (CH) 8712285339462 (AU)





#### **NEXT SERIES**

Specifications		
Min. / Max. TV screen size (inch)	40 / 65	65 / 65
Max. weight load (kg)	30	18
Max. VESA hole pattern (mm)	600 x 400	
Number of pivot points	4	4
Turn	Motion (up to 120°)	Motion (up to 120°)
Min. / Max. distance to the wall (mm)	72 / 720	72 / 720
Motorized	•	•
Integrated soundbar	•	
Wireless subwoofer	•	
Cable management	Cable velcro Cable management integrated in arm Cable fingers for cable management on the back of your TV	Cable clip Cable sock Cable management integrated in arm Cable fingers for cable management on the back of your TV
Specifications motorized		
Voltage	230 V, 50 Hz	230 V, 50 Hz
Remote / App controlled	• / •	• / •
Specifications audio		
Connections	<ul> <li>Analog 2x IN (mini-jack)</li> <li>Digital 1x IN optical (S/PDIF)</li> <li>HDMI 1x OUT with CEC/ARC</li> <li>HDMI 2x IN</li> </ul>	
Audio formats	High-res Audio     Linear PCM up to 192 kHz / 24 bit	
Bluetooth audio streaming	•	
Sound output (watt) : Total / Subwoofer	300 / 150	-/-
Frequency response: Soundbar / Subwoofer	180 Hz-20 kHz / 40 Hz-150 Hz	-/-
Guarantee		
TÜV certified	Non	WORD
Guarantee	Lifetime	Lifetime
Guarantee on Electrical Parts	2 years	2 years
Certifications	CE, CB	CE, CB
General		
Colour	Black	Black
Article number	8737080 (EU) 8737081 (GB) 8737082 (CH) 8737083 (AU)	8738060 (EU) 8738061 (GB) 8738062 (CH) 8738063 (AU)



8712285330643 (EU) 8712285336584 (GB) 8712285336607 (CH) 8712285336621 (AU)

EAN single box

Awards

### MotionMount - Motorized full motion TV wall mount ideal for OLED TVs

#### **NEXT 7355**

MotionMount - Motorized full motion TV wall mount







40 / 65	40 / 65	
30	30	
400 x 265	600 x 400	
4	4	
Motion (up to 120°)	Motion (up to 120°)	
72 / 720	72 / 720	
•	•	
-	-	

- Cable sock
  Cable velcro
  Cable management integrated in arm
  Cable fingers for cable management on the back of your TV

- Cable velcro
  Cable management integrated in arm
  Cable fingers for cable management on the back of
  your TV

230 V, 50 Hz	230 V, 50 Hz
• / •	•/•
<u>-</u>	<u>-</u>
-/-	- / -
-/-	-/-









LIICIIIIIC	
2 years	
CF CB	

Black	Black
8738170 (EU) 8738171 (GB) 8738172 (CH) 8738173 (AU)	8734070 (EU) 8734071 (GB) 8734072 (CH) 8734073 (AU) 8734074 8734075

8712285338120 (EU) 8712285341342 (GB) 8712285341366 (CH) 8712285341380 (AU)

8712285330605 (EU) 8712285336522 (GB) 8712285336546 (CH) 8712285336560 (AU)

























mm/inch

SoundMount - Full-Motion TV Wall Mount with Integrated Sound

#### **NEXT SERIES**

Specifications



apecilications		
Min. / Max. TV screen size (inch)	40 / 65	
Max. weight load (kg)	30	
Max. VESA hole pattern (mm)	600 x 400	
Number of pivot points	4	
Turn	Motion (up to 120°)	
Min. / Max. distance to the wall (mm)	72 / 720	
Integrated soundbar	•	
Wireless subwoofer	•	
Cable management	Cable velcro Cable management integrated in arm Cable fingers for cable management on the back of your TV	
Specifications audio		
Voltage	230 V, 50 Hz	
Connections	Analog 2x IN (mini-jack)     Digital 1x IN optical (S/PDIF)     HDMI 1x OUT with CEC/ARC     HDMI 2x IN	
Audio formats  • High-res Audio • Linear PCM up to 192 kHz / 24 bit		
Bluetooth audio streaming	•	
Sound output (watt): Total / Subwoofer 300 / 150		

Guarantee

TÜV certified

Frequency response: Soundbar / Subwoofer

 Guarantee
 Lifetime

 Guarantee on Electrical Parts
 2 years

 Certifications
 CE, CB

General

 Colour
 Black

 8735080 (EU)

 8735081 (GB)

 8735081 (GB)

 8735082 (CH)

 8735083 (AU)

 8712285330629 (EU)

 EAN single box
 8712285334245 (GB)

 8712285334269 (CH)

 8712285334283 (AU)



180 Hz-20 kHz / 40 Hz-150 Hz

NORD

Full-Motion OLED TV Wall Mount

#### **NEXT 7345**

DesignMount - Full-Motion TV Wall Mount

#### **NEXT 7505**

Flat TV Wall Mount for LG Signature TV



#### **NEXT SERIES**







Min. / Max. TV screen size (inch)	40 / 65	40 / 65	65 / 65
Max. weight load (kg)	30	30	18
Max. VESA hole pattern (mm)	400 x 200	600 x 400	
Number of pivot points	4	4	
Turn	Motion (up to 120°)	Motion (up to 120°)	
Min. / Max. distance to the wall (mm)	72 / 713	72 / 720	72 / 720

Cable management

- Cable velcro
   Cable management integrated in arm

- Cable velcro
  Cable management integrated in arm
  Cable fingers for cable management on the back of your TV
- Cable clipCable sock

#### Guarantee

Guarantee

TÜV certified



Lifetime



Lifetime



Lifetime

General			
Colour	Black	Black	Black
Article number	8738070	8733070	8708060
EAN single box	8712285334863	8712285325304	8712285338885
What's in the box	<ul> <li>Mounting instructions</li> <li>TV mounting kit</li> <li>Wall mount</li> <li>Wall mounting kit</li> <li>Drilling template</li> </ul>	Allen key     Mounting instructions     TV mounting kit     Wall mount     Wall mounting kit     Drilling template	Mounting instructions     TV mounting kit     Wall mount     Wall mounting kit     Cable clip
Number in outer box (#)	2	2	0
Awards	good Gesch G	geod industrial design	



mm/inch



mm/inch

#### **NEXT 7840 NEXT 7825** Cable Column AV Support **NEXT SERIES Specifications** Up to 10 cables Max. number of cables to hold Cable cover length (cm) 100 cm 670 Width (mm) 309 Depth (mm) Max. weight load (kg) 10 Guarantee NORD NORD TÜV certified Guarantee Lifetime Lifetime General Colour Silver Black 8736074 8736070 Article number 8712285325342 8712285325328 EAN single box Number in outer box (#) 670126.4 1004.6/39.6 mm/inch 32.770.9 mm/inch



### **THIN** series

### The thinnest TV wall mounts of them all

Choosing a Vogel's THIN wall mount is wanting so much more than a piece of metal you attach to the wall to showcase your television. It's a mount so thin, it's almost invisible. What's more: its quality has been thoroughly and manually tested.

A TV wall mount especially designed for the VESA hole pattern for OLED TVs is THIN 546. With this ultra-thin solution you mount your OLED TV extremely flat against the wall.

#### **Key features**:

- Mount your (OLED) TV sleek to the wall
- Enjoy the Cable Inlay System (CIS®) and hide your cables
- Mount your TV perfectly level, even after installation
- Use the TV Mount app and mark the first drilling hole easily!

#### **THIN 550**

#### **THIN 546**

#### ExtraThin Full-Motion TV Wall Mount

#### ExtraThin Full-Motion TV Wall Mount for OLED TVs






Number in outer box (#)

Awards

THIN SERIES

Specifications		
Min. / Max. TV screen size (inch)	40 / 100	40 / 65
Max. weight load (kg)	70	30
Max. VESA hole pattern (mm)	600 x 400	400 x 400
Number of pivot points	3	3
Turn	Forward and turning motion (up to 120°)	Full motion (up to 180°)
Tilt	Tilt up to 20°	
Min. / Max. distance to the wall (mm)	58 / 630	45 / 630
Cable management	Cable clip     Cable management integrated in arm	Cable clip     Cable management integrated in arm
Spirit level included	•	•
Guarantee		
TÜV certified	NORD	Norp
Guarantee	Lifetime	Lifetime
General		
Colour	Black	Black
Article number	8395500	8395460
EAN single box	8712285335082	8712285338144
What's in the box	Mounting instructions     Spirit level     TV Mount Guide app     TV mounting kit     Wall mount     Wall mounting kit     Drilling template     Cable clips	Allen key Mounting instructions Spirit level TV Mount Guide app TV mounting kit Wall mount Wall mount Drilling template Cable clips
Niconale and a contact for a CON		



2



#### **THIN 545**

#### **THIN 445**

#### **THIN 525**

ExtraThin Full-Motion TV Wall Mount



ExtraThin Full-Motion TV Wall Mount







40 / 65	26 / 55	40 / 65	
25		25	
600 x 400	400 x 400	600 x 400	
3	3	2	
Full motion (up to 180°)	Full motion (up to 180°)	Motion (up to 120°)	
Tilt up to 20°	Tilt up to 20°	Tilt up to 20°	
35 / 630	35 / 508	35 / 375	
Cable clip     Cable management integrated in arm	Cable clip     Cable management integrated in arm	Cable clip	
•	•	•	



Lifetime



Lifetime



Lifetime

Black   White	Black   White	Black
8395450 (Black) 8395451 (White)	8394450 (Black) 8394451 (White)	8395250
8712285335044 (Black) 8712285335068 (White)	8712285334948 (Black) 8712285334962 (White)	8712285335020
Mounting instructions     Spirit level     TV Mount Guide app     TV mounting kit     Wall mount     Wall mounting kit     Drilling template     Cable clips     Till Lock	Mounting instructions Spirit level TV Mount Guide app TV mounting kit Wall mount Wall mounting kit Drilling template Cable clips Tilt Lock	Mounting instructions     Spirit level     TV Mount Guide app     TV mounting kit     Wall mount     Wall mounting kit     Drilling template     Cable clips     Tilt Lock













#### **THIN 425**

#### ExtraThin Full-Motion TV Wall Mount

#### **THIN 515**

ExtraThin Tilting TV Wall Mount





#### THIN SERIES

Number in outer box (#)

Awards

Specifications

specifications		
Min. / Max. TV screen size (inch)	26 / 55	40 / 65
Max. weight load (kg)	18	25
Max. VESA hole pattern (mm)	400 x 400	600 x 400
Number of pivot points	2	
Turn	Motion (up to 120°)	
Tilt	Tilt up to 20°	Tilt up to 15°
Min. / Max. distance to the wall (mm)	35 / 300	20 / -
Cable management	Cable clip	
Spirit level included	•	•
Guarantee		
TÜV certified	Noro	NORD
Guarantee	Lifetime	Lifetime
General		
Colour	Black	Black
Article number	8394250	8395150
EAN single box	8712285334924	8712285335006
What's in the box	Mounting instructions Spirit level TV Mount Guide app TV mounting kit Wall mount Wall mount Cable clips Cable clips Tilt Lock	Mounting instructions     Spirit level     TV Mount Guide app     TV mounting kit     Wall mount     Wall mounting kit
Niconale and the constraint and the constraint	2	



3



**THIN 405 THIN 415 THIN 505** ExtraThin Tilting TV Wall Mount ExtraThin Fixed TV Wall Mount ExtraThin Fixed TV Wall Mount 26 / 55 40 / 65 26 / 55 18 40 25 400 x 400 600 x 400 400 x 400 Tilt up to 15° 15 / -15 / -20 / -NORD NORD Lifetime Lifetime Lifetime Black Black Black 8394150 8395050 8394050 8712285334900 8712285334986 8712285334887 Mounting instructions Spirit level TV Mount Guide app TV mounting kit Wall mount Wall mounting kit Mounting instructions Mounting instructions Spirit level TV mounting kit Wall mount Wall mounting kit TV Mount Guide app TV mounting kit Wall mount Wall mounting kit 6 6 6









# **WALL** series

#### Stylish TV wall mounts for every TV

Choosing a mount in the Vogel's WALL Series means selecting a solid contemporary mount with big possibilities for now and the future.

Easily supporting small up to the most heavy TV screens, from kitchen to home cinema.

#### **Key features:**

- Guide your cables with the Cable Inlay System (CIS®)
- Easy level your TV, even after installation
- Use the TV Mount app and mark the first drilling hole easily!

#### Full-Motion TV Wall Mount

#### **WALL 3350**

Full-Motion TV Wall Mount







#### WALL SERIES

Specifications

Number in outer box (#)

Min. / Max. TV screen size (inch)	55 / 100	40 / 65	
Max. weight load (kg)	55	45	
Max. VESA hole pattern (mm)	800 x 400	600 x 400	
Number of pivot points	4	4	
Turn	Forward and turning motion (up to 120°)	Forward and turning motion (up to 120°)	
Tilt	Tilt up to 15°	Tilt up to 15°	
Min. / Max. distance to the wall (mm)	108 / 610	98 / 600	
Cable management	Cable clip     Cable management integrated in arm	Cable clip     Cable management integrated in arm	
Guarantee			
TÜV certified	Nogo	NORD	
Guarantee	Lifetime	Lifetime	
General			
Colour	Black	Black	
Article number	8354140	8354130	
EAN single box	8712285335600	8712285335587	
What's in the box	Allen key Mounting instructions TV Mount Guide app TV mounting kit Wall mount Wall mounting kit Drilling template	Allen key Mounting instructions TV Mount Guide app TV mounting kit Wall mount Wall mounting kit Drilling template Cable clip Cable clip	
Number in outer boy (#)	1		





#### Full-Motion TV Wall Mount

#### **WALL 3345**

Full-Motion TV Wall Mount

#### WALL SERIES






Specifications		
Min. / Max. TV screen size (inch)	32 / 55	40 / 65
Max. weight load (kg)	35	30
Max. VESA hole pattern (mm)	400 x 400	600 x 400
Number of pivot points	4	3
Turn	Forward and turning motion (up to 120°)	Full motion (up to 180°)
Tilt	Tilt up to 15°	Tilt up to 20°
Min. / Max. distance to the wall (mm)	94 / 461	55 / 540
Cable management	Cable clip     Cable management integrated in arm	Cable clip


Guarantee

TÜV certified

Lifetime

Guarantee	Lifetime	Lifetime
General		
Colour	Black	Black   White
Article number	8354120	8353130 (Black) 8353131 (White)
EAN single box	8712285335563	8712285335525 (Black) 8712285335549 (White)
What's in the box	Allen key Mounting instructions TV Mount Guide app TV mounting kit Wall mount Wall mounting kit Drilling template Cable clip	<ul> <li>Mounting instructions</li> <li>TV Mount Guide app</li> <li>TV mounting kit</li> <li>Wall mount</li> <li>Wall mounting kit</li> <li>Cable clip</li> </ul>
Number in outer box (#)	2	3





#### **WALL 3145**

#### **WALL 3325**

Full-Motion TV Wall Mount

Full-Motion TV Wall Mount

Full-Motion TV Wall Mount







32 / 55	19 / 43	40 / 65
20	15	30
400 x 400	200 x 200	600 x 400
3	3	2
Full motion (up to 180°)	Full motion (up to 180°)	Motion (up to 120°)
Tilt up to 20°	Tilt -10°/+10°	Tilt up to 20°
55 / 540	70 / 410	55 / 320
Cable clip	Cable clip	Cable clip



Lifetime



Lifetime



Lifetime

Black   White	Black   White	Black
8353120 (Black) 8353121 (White)	8353110 (Black) 8353111 (White)	8352130
8712285335426 (Black) 8712285335440 (White)	8712285335327 (Black) 8712285335341 (White)	8712285335501


- Mounting instructions TV Mount Guide app TV mounting kit Wall mount Wall mounting kit Cable clip

- Mounting instructions TV Mount Guide app TV mounting kit Wall mount Wall mounting kit Cable clip

- Mounting instructions
   TV Mount Guide app
   TV mounting kit
   Wall mount
   Wall mounting kit
   Cable clip

MIN 53/2.1 MAX 535/21.1 MIN 100/3.9 MAX 400/15 mm/inch





Full-Motion TV Wall Mount

#### **WALL 3125**

Full-Motion TV Wall Mount

#### WALL SERIES

Specifications

Number in outer box (#)





Min. / Max. TV screen size (inch)	32 / 55	19 / 43
Max. weight load (kg)	20	15
Max. VESA hole pattern (mm)	400 x 400	200 x 200
Number of pivot points	2	2
Turn	Motion (up to 120°)	Motion (up to 120°)
Tilt	Tilt up to 20°	Tilt -10°/+10°
Min. / Max. distance to the wall (mm)	55 / 320	58 / 238
Cable management	Cable clip	Cable clip
Guarantee		
TÜV certified	NORD	Word
Guarantee	Lifetime	Lifetime
General		
Colour	Black	Black
Article number	8352120	8352110
EAN single box	8712285335402	8712285335303
What's in the box	<ul> <li>Mounting instructions</li> <li>TV Mount Guide app</li> <li>TV mounting kit</li> <li>Wall mount</li> <li>Wall mounting kit</li> <li>Cable clip</li> </ul>	Mounting instructions TV Mount Guide app TV mounting kit Wall mount Wall mounting kit Cable clip





**WALL 1120** 

#### **WALL 3315**

Full-Motion TV Wall Mount

Full-Motion TV Wall Mount

Tilting TV Wall Mount







19 / 37	17 / 26	40 / 65
15	15	40
200 x 200	100 x 100	600 x 400
1	1	
Limited motion (up to 60°)	Limited motion (up to 60°)	
Tilt -10°/+10°	Tilt -10°/+10°	Tilt up to 15°
70 / -	70 / -	37 / -





Lifetime

3

Lifetime

Lifetime

Black Black Black 8351070 8351060 8351130

8712285320668 8712285320620 8712285335488

3

- Mounting instructions TV mounting kit Wall mount Wall mounting kit

195/7.67

- Mounting instructionsTV mounting kitWall mountWall mounting kit

- Mounting instructions
   Spirit level
   TV Mount Guide app
   TV mounting kit
   Wall mount
   Wall mounting kit



mm/inch





Tilting TV Wall Mount

#### **WALL 3115**

Tilting TV Wall Mount

#### WALL SERIES





Specifications		
Min. / Max. TV screen size (inch)	32 / 55	19 / 43
Max. weight load (kg)	30	20
Max. VESA hole pattern (mm)	400 x 400	200 x 200
Number of pivot points		
Turn		
Tilt	Tilt up to 15°	Tilt up to 15°
Min. / Max. distance to the wall (mm)	37 / -	51 / -
Cable management		

#### Guarantee

TÜV certified

Lifetime

Lifetime

G	е	n	e	rai	
$\overline{}$					

What's in the box

Guarantee

Black Colour 8351120 8351110 Article number EAN single box 8712285335389 8712285335280

- Mounting instructions Spirit level TV Mount Guide app TV mounting kit Wall mount Wall mounting kit

- Mounting instructionsTV Mount Guide appTV mounting kitWall mountWall mounting kit

Number in outer box (#)

3





**WALL 3305 WALL 3205** Fixed TV Wall Mount

**WALL 3105** Fixed TV Wall Mount Fixed TV Wall Mount





40 / 100 80	32 / 55 50	19 / 43
600 x 400	400 x 400	200 x 200
23 / -	23 / -	-/-

NORD	NoRD	NORD
Lifetime	Lifetime	Lifetime
Black	Black	Black
8350130	8350120	8350110
8712285335464	8712285335365	8712285335266


- Mounting instructions Spirit level TV Mount Guide app TV mounting kit Wall mount Wall mounting kit

- Mounting instructions
   Spirit level
   TV Mount Guide app
   TV mounting kit
   Wall mount
   Wall mounting kit

- Mounting instructions
  TV Mount Guide app
  TV mounting kit
  Wall mount
  Wall mounting kit









# **FLAT series**

#### Like a painting on the wall

If you want to create a sophisticated look we offer flat TV wall mounts that can mount any size TV flush with the wall.

#### Key features:

- Lock your TV securely in place
- Install your mounts perfectly straight: spirit level included

### FLAT SERIES

### Fixed TV Wall Mount

**EFW 8305** 

#### **EFW 8206**

Fixed TV Wall Mount

**EFW 8105** 









Sp	-	∙ifi	_	•ŧi	^	10
v۲	•	,,,,,		411	v	13

Min. / Max. TV screen size (inch)	40 / 80	32 / 55	19 / 40
Max. weight load (kg)	70	30	20
Max. VESA hole pattern (mm)	800 x 450	500 x 400	200 x 200
Min. distance to the wall (mm)	24	22	20
Spirit level included	•	•	•

#### Guarantee

Guarantee

TÜV certified







Lifetime

Lifetime

General			
Colour	Grey	Grey	Grey
Article number	8383050	8382060	8381050
EAN single box	8712285315527	8712285329142	8712285315404
What's in the box	Allen key     Mounting instructions     Spirit level     Wall mount     Wall mount	Allen key     Mounting instructions     Spirit level     Wall mount     Wall mounting kit	Mounting instructions     Spirit level     Wall mount     Wall mounting kit
Number in outer box (#)	4	6	8









# TV floor stands

#### Place your TV anywhere you like

We offer practical and attractive alternatives to wall mounts as well.

Floor stands take up less space than a traditional cabinet and can be placed anywhere in the room.

#### **Key features:**

- Free placement of your TV in the room
- Stylishly conceal all your cables

#### **NEXT OP1**

TV Floor Stand

#### **NEXT OP2**

TV Floor Stand

#### **NEXT SERIES**





Specifications
Min. / Max. TV screen size (inch)
Max. weight load (kg)
Max. VESA hole pattern (mm)
Height (mm)
Min. distance to floor - center display (mm)
Cable management

40 / /0	
40	
400 x 400	
1110	
560	
Integrated cable management	

55 / 77
50
400 x 400
1183
540
Integrated cable management

#### Guarantee

TÜV certified	
Guarantee	
Certifications	

NORD

2 years	
FSC	



2 years FSC

Light oak

8743242

8712285342127

#### General

Awards

Article number	
EAN single box	

Light oak 8743232


- 8712285337543
- Allen key
   Mounting instructions

- Allen keyMounting instructionsTV mounting kit

•	TV	mounting kit	









#### **EFF 8330**

TV Floor Stand

#### **EFF 8230**

TV Floor Stand





#### **Specifications**

•
Min. / Max. TV screen size (inch)
Max. weight load (kg)
Max. VESA hole pattern (mm)
Height (mm)
Min. distance to floor - center display (mm)
Turn
Cable management

40 / 65
45
800 x 450
1202
1000
Limited motion (up to 60°)
Integrated cable management

19 / 40	
30	
200 x 200	
1097	
1000	
Limited motion (up to 60°)	
Integrated cable management	

#### Guarantee

TÜV certified

Guarantee

General

Colour	
Article number	
EAN single box	
What's in the box	

NORD	
114-41	

Lifetime

8383300

Black

8712285317880

• Mounting instructions
• TV mounting kit

NORD

Lifetime

2.101.110

Black 8382300

8712285317866

• Mounting instructions

• TV mounting kit







# **SAVA** series

### Smart AV Accessories make connectivity easy

We all use electronic devices to watch, listen and play content, everyday. That goes for both your brand new smart TV as well as that long cherished stereo set or legacy game console. With our SAVA products, you can combine your AV devices without compromise.

### Our SAVA products are divided into 4 sub-categories:

- CONNECT makes HDMI connectivity easy
- CONTROL keeps you in control
- CONVERT takes the hassle out of connecting devices
- STREAM takes the experience anywhere you want

#### **SAVA 1026**

Smart AV HDMI auto switcher

#### **SAVA 1022**

Smart AV wireless HDMI transmitter/ receiver

#### SAVA SERIES





Specifications		
Set content	HDMI Slimline cable   300 cm HDMI switch Power supply	HDMI cable   150 cm     HDMI cable   300 cm     Power supply     Wireless transmitter     Wireless receiver
Power supply	100-240 VAC 50/60 Hz, 5 VDC adapter	100-240 VAC 50/60 Hz, 5 VDC adapter
AV input	4x HDMI	
AV output	1x HDMI	
AV input transmitter		1x HDMI
AV output transmitter		1x HDMI
AV output receiver		1x HDMI
USB input		2 x USB-A (mouse, keyboard)
USB output		1 x micro-USB (PC, laptop)

 USB input
 2 x USB-A (mouse, keyboard)

 USB output
 1 x micro-USB (PC, laptop)

 Infrared input receiver infrared frequency range
 1 x 3.5 mm jack

 Operational frequency
 30 - 60 kHz

 Operational frequency
 2.4 GHz

Operating range technology

Up to 200 meters LOS (line of sight) and up to 50 meters through floors and walls

#### Video specifications

Video bandwidth	18	
HDTV resolution	Max. 2160@60Hz	Max. 1080p@60Hz
HDMI standard	CEC Deep Color 36-bit DVI EDID HDMI 2.0b HDR	
HDCP standard	HDCP 1.4/2.2	
Colour formats	YCbCr 4:2:0     YCbCr 4:4:4     RGB     YCbCr 4:2:2	
Clock frequency	600	

#### General

Contrai		
Guarantee	2 years	2 years
Colour	Anthracite metal	Anthracite metal
Article number	8310263	8310223
EAN single box	8712285339608	8712285339547
Number in outer box (#)	6	5

#### **SAVA 1041**

#### **SAVA 1031**

#### **SAVA 1021**

Smart AV converter digital / stereo

Smart AV converter COAX to TOS

Smart AV converter AV to HDMI

#### SAVA SERIES

EAN single box Number in outer box (#)



8712285339585



8712285339561



Specifications			
Set content	Audio converter     Coaxial Cable   50 cm     Power supply     RCA (cinch) to RCA (cinch) cable   300 cm     Toslink (optical) audio cable   50 cm	Audio converter     Coaxial Cable   300 cm     Power supply     Toslink (optical) audio cable   50 cm	<ul> <li>AV to HDMI converter</li> <li>HDMI cable   300 cm</li> <li>Mini USB power cable</li> <li>Power supply</li> <li>RCA (cinch) cable   150 cm</li> <li>SCART to RCA adapter</li> </ul>
Power supply	<ul> <li>100-240 VAC 50/60 Hz</li> <li>100-240 VAC 50/60 Hz, 5 VDC adapter</li> </ul>	<ul> <li>100-240 VAC 50/60 Hz</li> <li>100-240 VAC 50/60 Hz, 5 VDC adapter</li> </ul>	<ul> <li>100-240 VAC 50/60 Hz</li> <li>100-240 VAC 50/60 Hz, 5 VDC adapter</li> </ul>
Audio input	1x coaxial     1x optical (Toslink)	1x coaxial     1x optical (Toslink)	Stereo
Audio output	2 x RCA (L/R)	1x optical (Toslink)     1x coaxial	
AV input			3 x RCA (video, L/R audio)
AV output			1x HDMI
Video specifications			
Video systems			NTSC     PAL
RCA input resolution			• 480i • 576i
HDMI output resolution			<ul><li>1080p@60 Hz</li><li>720p@60 Hz</li></ul>
Audio specifications			
Sample rate	192 kHz, 24-bit		
General			
Guarantee	2 years	2 years	2 years
Colour	Anthracite metal	Anthracite metal	Anthracite metal
Article number	8310413	8310313	8310213

#### **SAVA 1014**

#### Smart AV remote extender

#### **SAVA 1001**

Smart AV Bluetooth transmitter/ receiver

#### SAVA SERIES





Specifications		
Set content	2x Infrared extension cable with 1 blaster LED   300 cm     Infrared module     Infrared receiver   300 cm     Power supply	Bluetooth device Power supply RCA (cinch) cable   150 cm Toslink (optical) audio cable   120 cm
Power IR module	<ul> <li>5 VDC mini USB adapter (included)</li> <li>Via mini USB cable (not included)</li> <li>100-240 VAC 50/60 Hz</li> </ul>	
Power supply		100-240 VAC 50/60 Hz, 5 VDC micro USB adapter     Micro USB cable
Pairing memory		Up to 8 devices
Multipair		Up to 2 headphones simultaneously
Infrared specifications		
Infrared reception range	± 10 meters	
Infrared blaster LED	200 cm with 2.5 mm jack plug (mono) with infrared transmission range of 2 meters	
Infrared input IR module	1 x 3.5 mm jack	
Infrared output IR module	2 x 2.5 mm jack plug	
Audio specifications		
Interface audio input		<ul><li>3.5 mm jack (stereo)</li><li>Toslink digital (stereo)</li></ul>
Interface audio output		<ul><li>3.5 mm jack (stereo)</li><li>Toslink digital (stereo)</li></ul>
Audio delay		<ul> <li>aptX 60 ~ 80ms</li> <li>AAC 90 ~ 150ms</li> <li>aptX Low Latency 32 ~ 40ms</li> </ul>
Supported codec		aptX BC AC aptX Low Latency
Range		Up to 10 meters with class 2 connection, up to 15 meters with class 1 connection
Bluetooth version		V 4.1, class 2
Bluetooth-supported profiles		A2DP
General	_	
Guarantee	2 years	2 years
Colour	Anthracite metal	Anthracite metal
Article number	8310143	8310073
EAN single box	8712285339622	8712285339523
LAIV 311 Igic DOX	10	10



# Accessories

You can hide messy cable clutter from sight with our range of cable concealing solutions. Or organise your projector with our range of supports.






Specifications		
Max. number of cables to hold	Up to 8 cables	Up to 4 cables
Cable cover length (cm)	94 cm	94 cm
Width (mm)		
Depth (mm)		
Max. weight load (kg)		
Guarantee	<u></u>	
TÜV certified		
Guarantee	Lifetime	Lifetime
General		
Colour	Black   White	Black   White
Article number	8357410 (Black) 8357411 (White)	8357400 (Black) 8357401 (White)

EAN single box

Number in outer box (#)



## **EPC 6545**

Projector Ceiling Mount

## **EPW 6565**

Projector Wall Mount





#### **Specifications**

Turn	Up to 360°	Up to 360°
Tilt	Tilt up to 20°	Tilt up to 20°
Roll	20	20
Max. distance to ceiling (mm)	76	
Max. weight load (kg)	10	10

#### Guarantee

TÜV certified

Guarantee

- 4	TUV
	MORD
•	
•	

10 years



10 years

#### General

Colour
Article number
EAN single box
What's in the box
Number in outer box (#)
Awards

Silver	
8027454	
8712285311420	
Mounting instructions	
3	

















mm/inch

mm/inch



## **SOUND** solutions

Enjoy the music you love even more. Vogel's offers a variety of solutions with our line of speaker wall mounts and stands. We specialize in solutions for the popular brands Sonos and HEOS.

Or create the ultimate TV audio experience with the sound bar solutions from Vogel's. By mounting your sound bar to your TV wall mount, the sound turns with your TV. This provides a much better sound. We have a solution for virtually any sound bar brand, for example Sonos Beam or Sonos Playbar.

## **SOUND 4201**

## **SOUND 4301**

#### **SOUND 4113**

Speaker Wall Mount for Sonos One (SL) & Play:1 Speaker stand for Sonos One (SL) & Play:1

Table-top Speaker Stand for Sonos One & Play:1, Play:3







5 years



5 years

Specif	ications	S
--------	----------	---

opcomounom.			
Speaker models	Sonos One     Sonos PLAY:1	<ul><li>Sonos One</li><li>Sonos PLAY:1</li></ul>	<ul><li>Sonos One</li><li>Sonos PLAY:1</li><li>Sonos PLAY:3</li></ul>
Turn	Up to 70°		Up to 360°
Tilt	Tilt -30°/+30°		Tilt up to 10°
Max. weight load (kg)	5	5	2
Cable management		Integrated cable management	

TÜV certified	NORD	NORD	NORD
Guarantee			
Spirit level included	•	•	
Cable management		Integrated cable management	
Max. weight load (kg)	5	5	2

## Guarantee

General			
Colour	Black   White	Black   White	Black   White
Article number	8152020 (Black) 8152021 (White)	8153020 (Black) 8153021 (White)	8154100 (Black) 8154101 (White)
EAN single box	8712285341403 (Black) 8712285341427 (White)	8712285341441 (Black) 8712285341465 (White)	8712285334443 (Black) 8712285334467 (White)
What's in the box	Mounting instructions     Spirit level     Wall mounting kit	Mounting instructions	Mounting instructions
Number in outer box (#)	4	2	4
Awards	Q good industrial	good industrial	



5 years



## **SOUND 5201**

## **SOUND 5203**

## **SOUND 5313**

Speaker Wall Mount for Denon HEOS 1 Speaker Wall Mount for Denon HEOS 3 Speaker Stand for Denon HEOS 1 / HEOS 3



Specifications

Number in outer box (#)







opecinications			
Speaker models	Denon HEOS 1	Denon HEOS 3	<ul><li>Denon HEOS 1</li><li>Denon HEOS 3</li></ul>
Turn	Up to 70°	Up to 70°	
Tilt	Tilt -30°/+30°	Tilt -30°/+30°	
Max. weight load (kg)	3	3	3

		Integrated cable management
MORD	WORD	Nord
5 years	5 years	5 years
Black   White	Black   White	Black   White
8155210 (Black) 8155211 (White)	8155230 (Black) 8155231 (White)	8155300 (Black) 8155301 (White)
8712285333804 (Black) 8712285333828 (White)	8712285333842 (Black) 8712285333866 (White)	8712285333880 (Black) 8712285333903 (White)
<ul><li> Mounting instructions</li><li> Wall mount</li><li> Wall mounting kit</li></ul>	Mounting instructions     Wall mount     Wall mounting kit	Allen key     Mounting instructions
	5 years  Black   White  8155210 (Black) 8155211 (White)  8712285333804 (Black) 8712285333828 (White)  • Mounting instructions • Wall mount	Black   White   Black   White







#### **SOUND 3305 SOUND 3205 SOUND 3200** Speaker Stand Speaker Wall Mount Speaker Wall Mount UNIVERSAL **Specifications** Denon HEOS 5 Denon HEOS 7 Sonos PLAY:5 Universal Denon HEOS 5 Denon HEOS 7 Sonos PLAY:5 Universal Universal Speaker models Turn Up to 70° Up to 70° Tilt Tilt up to 10° Tilt -30°/+30° Max. weight load (kg) 6.5 6.5 5 Spirit level included Guarantee TÜV certified Guarantee 5 years 5 years 5 years General Black | White Black | White Black | White Colour 8153350 (Black) 8153351 (White) 8712285337345 (Black) 8712285337369 (White) 8153250 (Black) 8153251 (White) 8712285337307 (Black) 8712285337321 (White) 8152000 (Black) 8152001 (White) 8712285329586 (Black) 8712285329609 (White) Article number EAN single box Allen key Mounting instructions Wall mounting kit Mounting instructions Allen key Mounting instructions What's in the box Spirit level Wall mounting kit Number in outer box (#) 130/5.1 130/5. 124/ 0°/-10° 749/29.5 5612.2 -30°/+30° 70° 144/5.7 mm/inch 410/16.1 mm/inch

**VLB 500** 

## Speaker Wall Mounts

## **VLB 200**

Speaker Wall Mounts





Universal

Universal

Up to 180°	Up to 90°
Tilt up to 20°	Tilt up to 15°
5	20

5 years

5 years

Black   Silver	Black
8105000 (Black) 8105004 (Silver)	8120200
8712285314186 (Black) 8712285314209 (Silver)	8712285001024

Mounting instructions

Mounting instructions

6

3





#### **SOUND 3550 SOUND 3450 SOUND 1250** Soundbar mount Sound Bar Mount Soundbar Mount **Specifications** Bose SoundTouch 300/700 Sonos Beam Sonos PLAYBAR Universal HEOS Bar Sonos PLAYBAR Universal Universal Speaker models Adjustable height Max. weight load (kg) 6.5 10 20 Cable management Cable clip Guarantee TÜV certified Guarantee 5 years 5 years General Black Silver Black Colour 8153550 8153450 8151250 Article number EAN single box 8712285343582 8712285326684 8712285326462 Allen key Mounting instructions TV mounting kit Cable clips Allen keyMounting instructionsTV mounting kit Mounting instructionsWall mounting kit What's in the box Number in outer box (#) 4 MIN 100/3.9 -MAX 600/23.6 8[0,3] 705[27.8] 30/1.2 MAX. VESA 600 8/0.3 9 0.3 100[3.9] 3011.2 MAX760/29.9 MAX 680 26.8 62 2.4 59[2,3] mm/Inch VESA mounting holes



# Mobile devices

Enjoy your tablet with all its favourite entertainment and apps in the car, kitchen or bathroom with Vogel's Tablet Mounts.

## **TMS 1050**

Tablet Dashboard Pack

## TMS 1020

Tablet Car Pack





	ica	

Specifications		
Tablet Brand and Model(s)	Universal	Universal
Tablet usage	In a car	In a car
Min. screen size (inch)	7	7
Max. screen size (inch)	12	12
Max. weight load (kg)	1	1
Max. screen depth (mm)	13	13
Rotate	Up to 360°	Up to 360°
Tilt		Tilt up to 15°
Min. distance to the wall (mm)		

#### Guarantee

Max. distance to the wall (mm)

Lifetime Guarantee 5 years

#### General

General		
Colour	Black	Black
Article number	8371500	8371020
EAN single box	8712285326769	8712285326721
Number in outer box (#)	6	6
Awards	good design design	good mounted the words



## TMS 1030

Tablet Flex Pack

## **TMS 1010**

Tablet Wall Pack





Specifications		
Tablet Brand and Model(s)	 Universal	Universal
Tablet usage	At home	At home
Min. screen size (inch)	7	7
Max. screen size (inch)	13	13
Max. weight load (kg)	2	1
Max. screen depth (mm)	13	13
Rotate	Up to 360°	Up to 360°
Tilt	Tilt up to 15°	
Min. distance to the wall (mm)	40	5
Max. distance to the wall (mm)	200	
Guarantee		
Guarantee	5 years	5 years
General		
Colour	Silver	Black
Article number	8371030	8371010
EAN single box	8712285326745	8712285326707
Number in outer box (#)	6	6
Awards	geod industrial ill Carach design	geod industrial design DESIGN

A THIN 515 16 AV 10 36 THIN 525 15 THIN 545 15 THIN 546 14 CABLE 10 L 36 THIN 550 14 CABLE 4 37 TMS 1010 47 CABLE 8 37 TMS 1020 46 TMS 1030 47 E TMS 1050 46 EFF 8230 30 EFF 8230 30 EFW 8105 27 VLB 200 43 EFW 8206 27 VLB 500 43 EFW 8206 27 VLB 500 43 EFW 8305 27 EPC 6545 38 WALL 1020 23 WALL 1120 23 N WALL 3115 24 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3115 24 NEXT 7355 9 WALL 3125 22 NEXT 7356 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3250 20 NEXT 8375 8 WALL 3325 21 NEXT OP1 29 WALL 3345 20 NEXT OP1 29 WALL 3350 19 SAVA 1001 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 3200 42 SOUND 3200 42 SOUND 3205 42 SOUND 3205 42 SOUND 3450 44 SOUND 5203 41 SOUND 5205 42 SOUND 5205	Type nr.	Pag.	Type nr.	Pag.
AV 10 36 THIN 525 15 THIN 545 15 THIN 546 14 CABLE 10 L 36 THIN 550 14 CABLE 4 37 TMS 1010 47 CABLE 8 37 TMS 1010 47 CABLE 8 37 TMS 1030 46 EFF 8230 30 EFF 8330 30 EFF 8330 30 EFW 8105 27 EPC 6545 38 EPW 6565 38 WALL 1020 23 WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3115 24 NEXT 7355 9 WALL 3125 22 NEXT 7355 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7555 8 WALL 3225 22 NEXT 7826 12 WALL 3250 20 NEXT 8365 10 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8750 8 WALL 3250 20 NEXT 8375 8 WALL 3350 19 S SAVA 1001 34 SAVA 1021 33 SAVA 1021 33 SAVA 1022 32 SAVA 1031 33 SAVA 1022 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3305 42 SOUND 3450 44 SOUND 5203 41 SOUND 5203 51	Δ		THIN 515	16
C THIN 545 15 THIN 546 14 CABLE 10 L 36 THIN 550 14 CABLE 4 37 TMS 1010 47 CABLE 8 37 TMS 1020 46 TMS 1030 47 TMS 1030 47 TMS 1050 46 EFF 8230 30 EFF 8330 30 EFF 8330 30 EFW 8105 27 VLB 200 43 EFW 8206 27 VLB 500 43 EFW 8305 27 EFC 6545 38 WALL 1020 23 WALL 1120 23 N WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3115 24 NEXT 7346 11 WALL 3125 22 NEXT 7355 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3250 20 NEXT 8375 8 WALL 3305 25 NEXT 8375 8 WALL 3305 25 NEXT 870P1 29 WALL 3325 21 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 WALL 3350 19 SAVA 1001 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3305 42 SOUND 3305 42 SOUND 3450 44 SOUND 5201 41 SOUND 5201 41 SOUND 5201 41 SOUND 5203 41 SOUND 5201 41 SOUND 5203 41 SOUND 5201 41 SOUND 5201 41 SOUND 5203 41 SOUND 5201 41 SOUND 5203 41 SOUND 5201 41 SOUND 5203 41 SOUND 5201 41 SOUND 5201 41 SOUND 5203 41 SOUND 5203 41 SOUND 5201 41 SOUND 5203 41 SOUND 5201 41 SOUND 5203 41 SOUND 5203 41 SOUND 5201 41 SOUND 5203 41 SOUND 5201 41 SOUND 5203 41 SOUND 5203 41 SOUND 5201 41 SOUND 5203 41 SOUND 5203 41 SOUND 5203 41 SOUND 5203 41 SOUND 5201 41 SOUND 5203 41 SOUND 5201 41 SOUND 5203 41 SOUND 5203 41 SOUND 5203 41 SOUND 5203 41 SOUND 5201 41 SOUND 5203 41 SOUND 5201 41 SOUND 5203 41 SOUND 5203 41 SOUND 5203 41 SOUND 5203 41 SOUND 5204 44 SOUND 5203 41 SOUND 5204 44 SOUND 5203 41 SOUND 5203 41 SOUND 5203 41 SOUND 5204 44 SOUND 5203 41 SOUND 5203 41 SOUND 5204 44 SOUND 5203 41 SOUND 5205 44 SOUND 5206 44 SOUND 5207 41 SOUND 5207 51 SOUND 5208 44 SOUND 5208		36		
C THIN 546 14 CABLE 10 L 36 THIN 550 14 CABLE 4 37 TMS 1010 47 CABLE 8 37 TMS 1010 47 E TMS 1030 47 E TMS 1050 46 EFF 8230 30 EFF 8330 30 EFW 8105 27 VLB 200 43 EFW 8206 27 VLB 500 43 EFW 8305 27 EPC 6545 38 WALL 1020 23 N WALL 1120 23 N WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3115 24 NEXT 7346 11 WALL 3125 22 NEXT 7356 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3225 22 NEXT 7840 12 WALL 3250 20 NEXT 8375 8 WALL 3250 20 NEXT 8375 8 WALL 3305 25 NEXT 601 1 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP1 29 WALL 3345 20 VALL 3350 19 SAVA 1001 34 SAVA 1001 34 SAVA 1022 32 SAVA 1026 32 SAVA 1026 32 SAVA 1026 32 SAVA 1021 33 SAVA 1041 33 SOUND 1250 44 SOUND 3305 42 SOUND 3305 42 SOUND 3450 44 SOUND 5203 41 SOUND 5203 51				
CABLE 10 L 36 THIN 550 14 CABLE 4 37 TMS 1010 47 CABLE 8 37 TMS 1020 46 TMS 1030 47  E TMS 1050 46  EFF 8230 30 EFF 8330 30 EFF 8330 30 EFW 8105 27 VLB 200 43 EFW 8206 27 VLB 500 43 EFW 8305 27 EPC 6545 38 EPW 6565 38 WALL 1020 23 WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3115 24 NEXT 7355 9 WALL 3145 21 NEXT 7355 9 WALL 3205 25 NEXT 7505 11 WALL 3215 22 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3225 22 NEXT 7840 12 WALL 3250 20 NEXT 8365 10 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3250 20 NEXT 8375 8 WALL 3325 21 NEXT OP1 29 WALL 3335 23 NEXT OP1 29 WALL 3345 20 WALL 3350 19 S SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1022 32 SAVA 1031 33 SAVA 1041 33 SAVA 1041 33 SOUND 3200 42 SOUND 3205 42 SOUND 3450 44 SOUND 3550 44 SOUND 5201 41 SOUND 5203 51	C			
CABLE 4 37 TMS 1010 47 CABLE 8 37 TMS 1020 46 TMS 1030 47 TMS 1050 46 EFF 8230 30 EFF 8330 30 EFW 8105 27 VLB 200 43 EFW 8206 27 VLB 500 43 EFW 8305 27 EPC 6545 38 WEPW 6565 38 WALL 1020 23 WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3125 22 NEXT 7355 9 WALL 3125 22 NEXT 7355 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7505 11 WALL 3215 24 NEXT 7840 12 WALL 3225 22 NEXT 8365 10 WALL 3245 21 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3245 21 NEXT 8375 8 WALL 325 22 NEXT 8375 8 WALL 325 22 NEXT 8375 12 WALL 325 25 NEXT 8375 13 WALL 3305 25 NEXT 8375 8 WALL 3305 25 NEXT 8375 10 WALL 3305 25 NEXT 8375 11 WALL 3305 25 NEXT 8375 12 WALL 325 21 NEXT OP1 29 WALL 3350 19 SAVA 1001 34 SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1031 33 SAVA 1041 33 SOUND 3200 42 SOUND 3205 42 SOUND 3305 42 SOUND 3450 44 SOUND 4301 40 SOUND 5203 41 SOUND 5203 51	-	36	THIN 550	14
CABLE 8 37 TMS 1020 46 TMS 1030 47 TMS 1050 46 EFF 8230 30 EFF 8330 30 EFW 8105 27 VLB 200 43 EFW 8206 27 VLB 500 43 EFW 8206 27 EPC 6545 38 EPW 6565 38 WALL 1020 23 WALL 1120 23 WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3125 22 NEXT 7355 9 WALL 3145 21 NEXT 7356 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 8365 10 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3325 22 NEXT 8375 8 WALL 3325 21 NEXT OP2 29 WALL 3345 20 SAVA 1001 34 SAVA 1001 34 SAVA 1021 33 SAVA 1022 32 SAVA 1023 32 SAVA 1031 33 SAVA 1024 32 SOUND 3205 42 SOUND 3450 44 SOUND 3505 44 SOUND 4301 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15				
EFF 8230 30 EFF 8330 30 EFF 8330 30 EFW 8105 27 EFW 8206 27 EFW 8206 27 EFW 6565 38 EFW 6505 44 SOLITION 31 SOLITION 3205 42 SOUND 3205 42 SOUND 3205 42 SOUND 3450 44 SOUND 4201 40 SOUND 4201 40 SOUND 4201 40 SOUND 4301 40 SOUND 5203 41 SOUND 5313 41  FT THIN 405 17 THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15				
E TMS 1050 46 EFF 8230 30 EFF 8330 30 EFF 8330 30 EFW 8105 27 VLB 200 43 EFW 8206 27 EFW 8206 27 EPC 6545 38 EPW 6565 38 EPW 6565 38 WALL 1120 23 N WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3125 22 NEXT 7355 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7505 11 WALL 3215 24 NEXT 7825 12 WALL 3245 21 NEXT 7825 12 WALL 3245 21 NEXT 8365 10 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 WALL 3350 19 S SAVA 1001 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3305 42 SOUND 3450 44 SOUND 4201 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15	O/ IDEE O	0,		
EFF 8230 30 EFF 8330 30 EFF 8330 30 EFW 8105 27 EFW 8206 27 EFC 6545 38 EFW 6565 38  EFW 6565 38  EFW 6565 38  EFW 6565 38   EFW 6565 38   EFW 6565 38   EFW 6565 38    EFW 65	F			
EFF 8330 30 V EFW 8105 27 VLB 200 43 EFW 8206 27 VLB 500 43 EFW 8305 27 EPC 6545 38 WALL 1020 23 WALL 1120 23 WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3125 22 NEXT 7355 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3305 25 NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 SAVA 1001 34 SAVA 1021 33 SAVA 1022 32 SAVA 1024 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3305 42 SOUND 3450 44 SOUND 3550 44 SOUND 3550 44 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15	_	30	11110 1000	
EFW 8105			V	
EFW 8206 27 VLB 500 43 EFW 8305 27 EPC 6545 38 W EPW 6565 38 WALL 1020 23 WALL 1120 23 WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3125 22 NEXT 7355 9 WALL 3205 25 NEXT 7555 8 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3305 25 NEXT 8365 10 WALL 3305 25 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3325 22 NEXT 8375 8 WALL 3325 21 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 S S S S S SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1026 32 SAVA 1026 32 SAVA 1031 33 SOUND 3205 42 SOUND 3305 42 SOUND 3305 42 SOUND 3450 44 SOUND 4301 40 SOUND 4201 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T T THIN 405 17 THIN 405 17 THIN 415 17 THIN 425 16 THIN 425 16 THIN 445 15			=	43
EFW 8305 27 EPC 6545 38 EPW 6565 38 WALL 1020 23 WALL 1120 23 N WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3125 22 NEXT 7355 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3325 25 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 SAVA 1001 34 SAVA 1014 34 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3305 42 SOUND 3450 44 SOUND 5203 41 SOUND 5203 516 THIN 445 15				
EPC 6545 38 WALL 1020 23 WALL 1120 23 WALL 1120 23 WALL 1120 23 WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3125 22 NEXT 7355 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7525 12 WALL 3245 21 NEXT 7825 12 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3325 21 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 WALL 3350 19 WALL 3450 19 S WALL 3450 19 WALL 3450			V LD 000	
N WALL 1120 23 N WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3125 22 NEXT 7355 9 WALL 3205 25 NEXT 7555 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3305 25 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3325 21 NEXT OP1 29 WALL 3325 21 NEXT OP1 29 WALL 3345 20 S WALL 3350 19 S WALL 3450 19 SAVA 1001 34 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3205 42 SOUND 3305 42 SOUND 3350 44 SOUND 3550 44 SOUND 4201 40 SOUND 5201 41 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15			w	
N WALL 3105 25 NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3125 22 NEXT 7355 9 WALL 3145 21 NEXT 7356 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7555 12 WALL 3245 21 NEXT 7840 12 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3205 42 SOUND 3305 42 SOUND 3450 44 SOUND 4201 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15			==	23
NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3115 24 NEXT 7355 9 WALL 3145 21 NEXT 7355 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3305 42 SOUND 3305 42 SOUND 3450 44 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15	LI W 0000	00		
NEXT 7345 11 WALL 3115 24 NEXT 7346 11 WALL 3125 22 NEXT 7355 9 WALL 3145 21 NEXT 7355 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 WALL 3350 19 S S SAVA 1001 34 SAVA 1014 34 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3305 42 SOUND 3450 44 SOUND 4113 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 425 16 THIN 445 15	N			
NEXT 7346 11 WALL 3125 22 NEXT 7355 9 WALL 3145 21 NEXT 7356 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3345 20 WALL 3350 19 S S SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3205 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 5201 41 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 425 16 THIN 425 16 THIN 445 15		11		
NEXT 7355 9 WALL 3145 21 NEXT 7356 9 WALL 3205 25 NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 WALL 3350 19 S SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3305 42 SOUND 3450 44 SOUND 4113 40 SOUND 5201 41 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15				
NEXT 7356				
NEXT 7505 11 WALL 3215 24 NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 WALL 3350 19 S WALL 3450 19 SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3305 42 SOUND 3450 44 SOUND 3550 44 SOUND 4201 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15				
NEXT 7555 8 WALL 3225 22 NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 WALL 3350 19 S WALL 3450 19 SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3305 42 SOUND 3450 44 SOUND 4113 40 SOUND 4201 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15				
NEXT 7825 12 WALL 3245 21 NEXT 7840 12 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 WALL 3350 19 S WALL 3450 19 SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3305 42 SOUND 3450 44 SOUND 4113 40 SOUND 4201 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15				
NEXT 7840 12 WALL 3250 20 NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 WALL 3350 19 S WALL 3450 19 SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3450 44 SOUND 3550 44 SOUND 3450 44 SOUND 4113 40 SOUND 4201 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15				
NEXT 8365 10 WALL 3305 25 NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 WALL 3350 19 S WALL 3450 19 SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3305 42 SOUND 3450 44 SOUND 4113 40 SOUND 4201 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15				
NEXT 8375 8 WALL 3315 23 NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 WALL 3350 19 S WALL 3450 19 SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15				
NEXT OP1 29 WALL 3325 21 NEXT OP2 29 WALL 3345 20 WALL 3350 19 S WALL 3450 19 SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4301 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15				
NEXT OP2 29 WALL 3345 20 WALL 3350 19 SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15	NEXT OD/	20		
SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15				
SAVA 1001 34 SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4201 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15	NEXT OF Z			
SAVA 1014 34 SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3305 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4301 40 SOUND 5203 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15	S			
SAVA 1021 33 SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3305 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4301 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15	SAVA 1001	34		
SAVA 1022 32 SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3305 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4301 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15	SAVA 1014	34		
SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3305 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4201 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15	SAVA 1021	33		
SAVA 1026 32 SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3305 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4201 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15	SAVA 1022	32		
SAVA 1031 33 SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3305 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4301 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 405 17 THIN 425 16 THIN 445 15	SAVA 1026	32		
SAVA 1041 33 SOUND 1250 44 SOUND 3200 42 SOUND 3205 42 SOUND 3305 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4301 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15				
SOUND 3200       42         SOUND 3205       42         SOUND 3305       42         SOUND 3450       44         SOUND 3550       44         SOUND 4113       40         SOUND 4201       40         SOUND 5201       41         SOUND 5203       41         SOUND 5313       41         T       THIN 405       17         THIN 415       17         THIN 425       16         THIN 445       15				
SOUND 3205 42 SOUND 3305 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4301 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15	SOUND 1250	44		
SOUND 3205 42 SOUND 3305 42 SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4301 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15	SOUND 3200	42		
SOUND 3450 44 SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4301 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15	SOUND 3205	42		
SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4301 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15	SOUND 3305	42		
SOUND 3550 44 SOUND 4113 40 SOUND 4201 40 SOUND 4301 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15	SOUND 3450	44		
SOUND 4201 40 SOUND 4301 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15	SOUND 3550	44		
SOUND 4301 40 SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15				
SOUND 5201 41 SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15	SOUND 4201	40		
SOUND 5203 41 SOUND 5313 41  T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15				
T THIN 405 17 THIN 415 17 THIN 425 16 THIN 445 15				
T THIN 405				
THIN 40517 THIN 41517 THIN 42516 THIN 44515	SOUND 5313	41		
THIN 40517 THIN 41517 THIN 42516 THIN 44515	т			
THIN 41517 THIN 42516 THIN 44515		17		
THIN 42516 THIN 44515	THIN 415	, 17		
THIN 44515				
THIN 50517	THIN 445	15		
	THIN 505	17		



## Follow Vogel's:



/vogelsexperience



/vogelsexperience



/company/vogels



/vogelsxperience



/vogelsexperience

#### Disclaimer

While every effort is made to ensure the accuracy of the information provided, Vogel's shall not be held responsible for any errors. This also applies to mistakes or omissions in respect of prices or measurements.

Not all products are available in every country.